

Why Choosing an Ecoforest Stove?

Ecoforest is the leading company in the HVAC sector with solutions based on clean and natural energy. Due to its strong commitment to technology and investment in R&D, Ecoforest has become market leader in Europe.

Ecoforest strategy is based on innovative and eco-friendly solutions. The company has a strong position in several international markets, tailoring its products to different climate areas

and delivering comfort in each of these countries.

The company's environmental policy mirrors our commitment to the preservation of the environment, through effective design and manufacturing of efficient, emission-free heating and HVAC equipment.





MULTIFUEL Pellets, almond shell or olive stones



REMOTE CONTROL Wifi and internetbased control



AUTOMATED MODULATION Combustion and convection air



HIGH QUALITY MATERIALS Common spare parts for the whole range



DESIGN AND USABILITY








CRETA

Power: 6 kW Performance: 91,2% Autonomy: 17-8 h Dimensions: 455 x 500 x 760 mm Weight: 71,5 Kg

AIR STOVES DUCTED AIR STOVES



Air pellet stoves generate power through biomass combustion. The energy produced by the combustion of the biomass is transmitted into the air through a high-efficiency exchanger and is driven by a convector fan towards the room to be heated.



MIAMI

Power: 5,5 kW insert stove
Performance: 91,2%
Autonomy: 11-6 h
Dimensions: 920 x 165/162 x 818 mm

Weight: 77 Kg



MOON II

Power: 7,5 kW Performance: 94% Autonomy: 28- 8,9 h

Dimensions: 455 x 502 x 892 mm

Weight: 89 Kg



LYON

Power: 7,5 kW Performance: 93% Autonomy: 19-7 h

Dimensions: 520 x 520 x 874 mm

Weight: 78 Kg



MARSELLA

Power: 10 kW Performance: 87% Autonomy: 26-9 h

Dimensions: 544 x 545 x 1103 mm

Weight: 126 Kg Preliminary data

VIGO III

KEOPS

Power: 9,5 kW

Performance: 91,8%

Autonomy: 24-7 h

Weight: 111 Kg

Power: 9,5 kW Performance: 91,8% Autonomy: 24-7 h

Dimensions: 455 x 502 x 1033 mm

Weight: 92 Kg



NATURE

Power: 7,5 kW Performance: 85% Autonomy: 9 h

Dimensions: 643 x 514 x 1100 mm

Weight: 170 Kg







PRAGA

Power: 12 kW Performance: 91% Autonomy: 25-11 h

Dimensions: 849 x 570 x 805 mm

Weight: 155 Kg



Technology in service of thermal comfort

TOKIO

Power: 12 kW Performance: 91% Autonomy: 27-11 h

Dimensions: 948 x 555 x 940 mm

Weight: 146 Kg





ECO I

Power: 13,5 kW Performance: 85% Autonomy: 20-9 h

Dimensions: 642 x 584 x 838 mm

Weight: 105 Kg



ATENAS

Power: 14 kW Performance: 89,4% Autonomy: 21-8 h

Dimensions: 620 x 597 x 1073 mm

Weight: 139 Kg







Our ducted models distribute the heat through ducts installed at home. This product range is suitable for those users seeking a clean, natural and effective heating system to warm several rooms of their home.



OSLO

Power: 30 kW Performance: 92,3% Autonomy: 31-13 h

Dimensions: 947 x 681 x 1711 mm

Weight: 270 Kg





ROMA

Power: 11,9 kW Performance: 90% Autonomy: 19-6 h

Dimensions: 465 x 506 x 1137 mm

Weight: 130 Kg

KIEV

Power: 16 kW Performance: 92% Autonomy: 28-13 h

Dimensions: 690 x 589 x 1225 mm

Weight: 170 Kg





Feel technology and design



BOLONIA

Power: 10 kW Performance: 92,9% Autonomy: 19-9 h

Dimensions: 885 x 294 x 1025 mm

Weight: 143 Kg

IBIZA

Power: 11 kW Performance: 91,2% Autonomy: 25-11 h

Dimensions: 953 x 338 x 1188 mm

Weight: 152 Kg

DUBAI

Power: 11,9 kW Performance: 90% Autonomy: 19-6 h

Dimensions: 465 x 506 x 1137 mm

Weight: 130 Kg









CORDOBA GLASS

Power: 12 kW Performance: 91% Autonomy: 23-9 h

Dimensions: 970 x 531 x 830 mm

Weight: 138,5 kg

PELLET STOVE INSERT



CORDOBA

Power: 12 kW Performance: 91% Autonomy: 23-9 h

Dimensions: 732 x 525 x 620 mm

Weight: 119,5 kg



ECO I INSERT

Power: 13,5 kW Performance: 85% Autonomy: 14-6 h

Dimensions: 1020 x 524 x 770 mm

Weight: 105 kg





Enjoy the warmth at home



ECO MINI INSERT

Power: 8 kW Performance: 95% Autonomy: 18 - 8 h

Dimensions: 630 x 634 x 532 mm

Weight: 77 Kg



Ducted air pellet stoves generate power through biomass combustion. The energy produced by the combustion of the biomass is transmitted into the air through a high-efficiency exchanger and is driven by a convector fan towards the rooms to be heated.



GRANADA

Power: 12 kW Performance: 91% Autonomy: 23-9 h

Dimensions: 732 x 525 x 620 mm

Weight: 129 kg



DUCTED

CORDOBA GLASS

Power: 12 kW Performance: 91% Autonomy: 23-9 h

Dimensions: 970 x 531 x 830 mm

Weight: 138,5 kg

DUCTED CORDOBA

Power: 12 kW Performance: 91% Autonomy: 23-9 h

Dimensions: 732 x 525 x 620 mm

Weight: 119,5 kg





TEIDE

Power: 12 kW Performance: 91% Autonomy: 23-9 h

Dimensions: 875 x 605 x 755 mm

Weight: 129 kg



It is not an insert stove

VENECIA

Power: 14 kW Performance: 89,6% Autonomy: 38-17 h

Dimensions:1300 x 348 x 1355 mm

Weight: 182 kg





MILAN

Power: 16 kW Performance: 92% Autonomy: 37-17 h

Dimensions: 900 x 746 x 1523 mm

Weight: 210 kg

BOSTON INSERT

Power: 15 kW Performance: 87,1% Autonomy: 31 - 14 h

Dimensions: 700 x 554 x 1650 mm

Weight: 175 kg

OSLO INSERT

Power: 30 kW Performance: 92,3% Autonomy: 31-13 h

Dimensions: 1050 x 683 x 1703 mm

Weight: 240 kg

KIEV INSERT


Power: 16 kW Performance: 92% Autonomy: 37-17 h

Dimensions: 800 x 587 x 1500 mm

Weight: 190 kg







HYDRO STOVES
PELLET BOILERS
WOOD



Pellet hydro stoves generate power through biomass combustion. The energy produced by the combustion of the biomass is heated through a high-efficiency exchanger, and transmitted to a hot water circuit with the ideal temperature for radiators, fan coils and domestic hot water.

Furthermore, the Ecoforest technology allows our hydro stoves and pellet boilers to heat and manage the temperature temperature of the swimming pool water.



HIDROCOPPER 18



Power: 18 kW Performance: 95% Autonomy: 12-6 h

Dimensions: 400 x 617 x 1139 mm

Weight: 133 Kg



HIDROCOPPER 18 Slim



Dimensions: 713 x 449 x 1139 mm

Weight: 154 Kg



HIDROCOPPER 18 Slim plus



Power: 18 kW Performance: 95% Autonomy: 18-9 h

Dimensions: 871 x 449 x 1139 mm

Weight: 162 Kg

HIDROCOPPER 24 Slim



Power: 23,6 kW Performance: 94%

Autonomy: 20 -8 h

Dimensions: 793 x 524 x 1139 mm

Weight: 171 Kg Preliminary data







SUPER INSERT II 24/30

Power: 24/30 kW

Performance: 92,8/92,5 % Autonomy: 53-21 h/51-16 h Dimensions: 1125 x 586 x 1152 mm

Weight: 260 Kg



DUBLIN II INSERT

Power: 14 kW Performance: 92,5% Autonomy: 20-9 h

Dimensions: 901 x 627 x 873 mm

Weight: 134 Kg





CANTINA SUPER

Power: 29 kW Performance: 91% Autonomy: 32-9 h

Dimensions: 682 x 619 x 1330 mm

Weight: 215 Kg

CANTINA NOVA 24/30

Power: 24/30 kW

Performance: 95,1/93,1% Autonomy: 49-22/40-18 h

Dimensions: 1075 x 667 x 1144 mm

Weight: 330 Kg





ECO insert 70/80/90

Power: 10,7/12/14 kW Performance: 79/75/72%

Dimensions: 837 x 445 x 735 mm 937 x 445 x 735 mm

1037 x 445 x 735 mm

Weight: 122/142/158 Kg



MOSCU

Power: 22 kW Performance: 75%

Dimensions: 1037 x 520 x 1125 mm

Weight: 260 Kg



ARLES

Power: 12 kW Performance: 72%

Dimensions: 563 x 544 x 1001 mm

Weight: 132 Kg

FORTALEZA

Power: 40 kW Performance: 80%

Dimensions: 734 x 1068 x 1213 mm

Weight: 325 Kg



ECOGLASS insert 70/80/90

Power: 10,7/12/14 kW Performance: 79/75/72%

Dimensions: 837 x 445 x 735 mm 937 x 445 x 735 mm

1037 x 445 x 735mm

Weight: 122 / 142 / 158 Kg



MADEIRA

Power: 20 kW Performance: 74,9%

Dimensions: 488 x 849 x 1140 mm

Weight: 251 Kg











VAP 5-20

Power: 20 kW Performance: 94%

Dimensions: 717 x 999 x 1522 mm

Weight: 253 Kg Autonomy: 62-15 h

VAP 24

Power: 24 kW Performance: 94%

Dimensions: 880 x 883 x 1522 mm

Weight: 250 Kg Autonomy: 39-10 h

VAP 30

Power: 30,2 kW Performance: 90%

Dimensions: 1154 x 1104 x 1502 mm

Weight: 430 Kg Autonomy: 74-20 h



Full control
of the installation
through internet

>>

Optimize your installation

SILOS











Silo 375 kg

Silo 600 kg

Silo 1500 kg

Silo 2500 kg

Silo 3500 kg

Ecoforest range of silos presents a light and resistant equipment with a wide array of capacities and automated pellet feed. Ecoforest silos are connected to a pneumatic system through pellet intake pipes.

BUFFER TANKS

At Ecoforest we care about our clients' needs. We offer a wide array of buffer tanks, specifically designed for our VAP boilers range.



MANAGER




Control strategies implemented by VAP boilers allow direct drive towards three different areas with different temperatures (for instance, with radiant floor, fan-coils and radiators, respectively) through three mixing pump units. This results in a high value installation and meets the needs of many customers.

Unlike other pellet boilers, VAP boilers do not need any buffer tank for installations with radiant floor. A mixing pump unit is all they need to complete the installation.

>> Unique technology for air pellet stoves



>>> Unique technology for hydro stoves





Get the most of the energy in the air and in the ground with Ecoforest heat pumps



www.ecoforest.com









Ecoforest shall not be held responsible for any error contained in this document and reserves the right to make any modifications it deems necessary for both technical and commercial reasons at any time and without prior notification. the availability of any equipment described in this document shall always be confimed by Ecoforest. The inclusion of the equipment in this document does not imply immediate availability.